

## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 1 of 15

# Complying with Regulation (EC) No 1272/2008 (CLP) as amended by Commission Regulation (EU) 2020/878.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

#### <u>1.1 Product identifier</u> Product name:

Biodegradable Hydraulic Fluid

Other means of identification:	
Product code:	9645, 9646.
CAS Number:	Mixture

## **<u>1.2 Relevant identified uses of the substance or mixture and uses advised against:</u>**

Relevant identified uses:	Hydraulic lubricant
Uses advised against:	Uses other than those described above.

<u>1.3</u>	Details	of the	e sup	plier d	of the	safety	data	sheet

Company Name:	Hydraulic Technologies USA LLC
Company Address:	5885 11th Street
	Rockford, IL 61109
Company Tel:	(800) 541-1418
Contact Name	Office hours (Mon – Fri)
	8.00am – 5:00pm (CST)
E-mail address of person	
responsible for this SDS:	EH&S Department. Info@powerteam.com
	Ludreulie Technologies Notherlands DV
(In the E.U.):	Albert Thiisstraat 12, 6471WX Evgelshoven.
( , )	The Netherlands.

<u>1.4 Emergency telephone number</u> Emergency telephone number (including hours of operation): INFOTRAC 24 Hour Emergency Numbers: USA, Canada, Puerto Rico 800-535-5053, International 352-323-3500

**Poison Centre Information:** See Section 16 for the full EU list of Poison Centres.

## **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1 Classification of the substance or mixture

## Classification in accordance to Regulation (EC) No. 1272/2008 (CLP/GHS)

Product name	GHS Classification
Biodegradable Hydaulic Fluid	Not classified as hazardous

## 2.2 Label elements

Labelling in accordance with Regulation 1272/2008 (CLP)

Hazard pictograms: None required



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Signal word:	None required
Hazard statements:	None required
Precautionary Statements:	None required
Supplemental Hazard Statements.	None known

## 2.3 Other hazards

This substance/mixture contains no components considered to be endocrine disruptors, persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1Substances :

Not applicable.

## 3.2 Mixture :

Product/ Ingredient name	Identifiers	%	Classification 1272/2008/EC	Nano material form	M Factor	Specific conc'n limits (SCL)	Acute toxicity estimate (ATE)
Distillate, petroleum, hydrotreated heavy paraffinic	CAS No 64742-54-7 EC No 265-157-1 REACH No 01- 2119484627- 25-XXXX	< 100%	Carc 1B, H350 * See Note L	No	1	No SCL in Annex VI	No ATE in Annex VI
N-Phenyl benzenamine, reaction products with 2,4,4-trimethyl pentene	CAS No 68411-46-1 EC No 270-128-1 REACH No 01- 2119491299- 23-XXXX	0.1 - 1%	Repr. 2 H361f	No	1	No SCL in Annex VI	No ATE in Annex VI

Note L: The classification as a carcinogen need not apply if it can be shown that the substance contains less than 3% DMSO extract as measured by IP 346.

This oil has been highly refined by a variety of processes to reduce aromatics and improve Performance characteristics. It meets the IP-346 criteria of less than 3 percent PAH's and is not considered a carcinogen by the International Agency for Research on Cancer.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 3 of 15

Nanoforms present in product:

None known

Occupational exposure limits, if available, are listed in section 8. See section 16 for the full text of the H and P phrases declared above.

## SECTION 4: FIRST AID MEASURES

## 4.1 Description of first aid measures

**Eye contact:** If eyes become irritated, flush immediately with copious amounts of lukewarm water for at least 15 minutes. If easy to do, remove contact lenses. Get medical attention if irritation persists.

**Skin contact:** Remove contaminated shoes and clothing and cleanse affected area(s) thoroughly by washing with mild soap and water or a waterless hand cleaner. If irritation or redness develops and persists, seek medical attention. If product is injected into or under the skin, or into any part of the body, regardless of the appearance of the wound or its size, the individual should be evaluated immediately by a physician (see Indication of immediate medical attention below).

**Inhalation:** First aid is not normally required. If breathing difficulties develop, move victim away from source of exposure and into fresh air in a position comfortable for breathing. Seek immediate medical attention.

**Ingestion:** First aid is not normally required; however, if swallowed and symptoms develop, seek medical attention. Do not induce vomiting. If conscious, give small amounts of water to drink. Never give anything by mouth to an unconscious person. Get medical advice.

## 4.2 Most important symptoms and effects, both acute and delayed

Not expected to be a health hazard when used under normal conditions. An aspiration hazard may be appropriate if the oil is vapourized under pressure.

## 4.3 Indication of any immediate medical attention and special treatment needed

If any symptoms are observed, contact a physician and give them this SDS sheet.

Acute aspirations of large amounts of oil-laden material may produce a serious aspiration pneumonia. Patients who aspirate these oils should be followed for the development of long-term sequelae. Inhalation exposure to oil mists below current workplace exposure limits is unlikely to cause pulmonary abnormalities. When using high-pressure equipment, injection of product under the skin can occur. In this case, the casualty should be sent immediately to the hospital. Do not wait for symptoms to develop. High-pressure hydrocarbon injection injuries may produce substantial necrosis of underlying tissue despite an innocuous appearing external wound. These injuries often require extensive emergency surgical debridement and all injuries should be evaluated by a specialist in order to assess the extent of injury. Early surgical treatment within the first few hours may significantly reduce the ultimate extent of injury.

## SECTION 5: FIREFIGHTING MEASURES

## 5.1 Extinguishing media

<u>Suitable extinguishing media:</u> Dry chemical, carbon dioxide, foam, or water spray is recommended. Water or foam may cause frothing of materials heated above 212°F / 100°C. Carbon dioxide can displace oxygen. Use caution when applying carbon dioxide in confined spaces.

<u>Unsuitable extinguishing media:</u> Simultaneous use of foam and water on the same surface is to be avoided as water destroys the foam.

## 5.2 Special hazards arising from the substance or mixture



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 4 of 15

This material may burn, but will not ignite readily. If container is not properly cooled, it can rupture in the heat of a fire.

## Hazardous combustion products:

Combustion may yield smoke, carbon monoxide, and other products of incomplete combustion. Oxides of sulfur, nitrogen or phosphorus may also be formed.

## 5.3 Advice for firefighters

For fires beyond the initial stage, emergency responders in the immediate hazard area should wear protective clothing. When the potential chemical hazard is unknown, in enclosed or confined spaces, a self-contained breathing apparatus should be worn. In addition, wear other appropriate protective equipment as conditions warrant (see Section 8). Isolate immediate hazard area and keep unauthorized personnel out. Stop spill/release if it can be done safely. Move undamaged containers from immediate hazard area if it can be done safely. Water spray may be useful in minimizing or dispersing vapours and to protect personnel. Cool equipment exposed to fire with water if it can be done safely. Avoid spreading burning liquid with water used for cooling purposes.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

## 6.1 Personal precautions, protective equipment and emergency procedures

## For non-emergency personnel

No action shall be taken involving any personal risk or without suitable training. Stop leak if able to do so without risk. Keep unnecessary and unprotected personnel from entering. Eliminated ignition sources. Avoid breathing mist/vapour/aerosol/gas/fume. Do not walk through spilled material. Avoid contact with eyes, skin and clothing. Wear recommended personal protective equipment (refer to Section 8 Exposure controls/ personal protection).

## For emergency responders

This material may burn but will not ignite readily. Keep all sources of ignition away from spill/release. Stay upwind and away from spill/release. Avoid direct contact with material. For large spillages, notify persons down wind of the spill/release, isolate immediate hazard area and keep unauthorized personnel out. Wear appropriate protective equipment, including respiratory protection, as conditions warrant (see Section 8). See Sections 2 and 7 for additional information on hazards and precautionary measures. See also the information in "For non-emergency personnel".

## 6.2 Environmental precautions

Stop spill/release if it can be done safely. Prevent spilled material from entering sewers, storm drains, other unauthorized drainage systems, and natural waterways. Use water sparingly to minimize environmental contamination and reduce disposal requirements. If spill occurs on water notify appropriate authorities and advise shipping of any hazard.

## 6.3 Methods and materials for containment and cleaning up

Notify relevant authorities in accordance with all applicable regulations. Immediate cleanup of any spill is recommended. Dike far ahead of spill for later recovery or disposal. Absorb spill with inert material such as sand or vermiculite, and place in suitable container for disposal. If spilled on water remove with appropriate methods (e.g. skimming, booms or absorbents). In case of soil contamination, remove contaminated soil for remediation or disposal, in accordance with local regulations.Recommended measures are based on the most likely spillage scenarios for this material; however local conditions and regulations may influence or limit the choice of appropriate actions to be taken. See Section 13 for information on appropriate disposal.

## 6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 5 of 15

## SECTION 7: HANDLING AND STORAGE

## 7.1 Precautions for safe handling

AKeep away from flames and hot surfaces. Wash thoroughly after handling. Use good personal hygiene practices and wear appropriate personal protective equipment (see section 8). Spills will produce very slippery surfaces. High pressure injection of hydrocarbon fuels, hydraulic oils or greases under the skin may have serious consequences even though no symptoms or injury may be apparent. This can happen accidentally when using high pressure equipment such as high-pressure grease guns, fuel injection apparatus or from pinhole leaks in tubing of high-pressure hydraulic oil equipment. Do not enter confined spaces such as tanks or pits without following proper entry procedures. Do not wear contaminated clothing or shoes.

## 7.2 Conditions for safe storage, including any incompatibilities

Keep container(s) tightly closed and properly labeled. Use and store this material in cool, dry, well-ventilated area away from heat and all sources of ignition. Store only in approved containers. Keep away from any incompatible material (see Section 10). Protect container(s) against physical damage."Empty" containers retain residue and may be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury or death. "Empty" drums should be completely drained, properly bunged, and promptly shipped to the supplier or a drum reconditioner.

All containers should be disposed of in an environmentally safe manner and in accordance with governmental regulations. Before working on or in tanks which contain or have contained this material, refer to appropropriate regulations, and other references pertaining to cleaning, repairing, welding, or other contemplated operations.

## 7.3 Specific end use(s):

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated.

## **SECTION 8: EXPOSURE CONTROL / PERSONAL PROTECTION**

## 8.1 Control parameters

## Occupational exposure limit values:

Ingredient name	CAS Number	Occupational exposure limits	Source
Distillate, petroleum, hydrotreated heavy paraffinic (as oil mist)	11138-60-6	Short-term value: 10 mg/m3 (Belgium, Spain, UK) 2 mg/m3 (Denmark) 5 mg/m3 (Hungary) 3 mg/m3 (Sweden) Long-term value: 5 mg/m3 (Austria, Belgium, Finland, Ireland, Latvia, Spain, Switzerland, The Netherlands, UK) 1 mg/m3 (Denmark, Norway, Sweden)	Europe. Occupational exposure limit values
N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene	68411-46-1	Short term value: None known Long term value: None known	Europe. Occupational exposure limit values

Monitoring procedures: Use methods described in European Standards.



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 6 of 15

Derived No Effect Level (DNEL):

## Distillate, petroleum, hydrotreated heavy paraffinic

Application Area	Exposure routes	Health Effect	Value
Workers	Inhalation	Long-term systemic effects	2.73 mg/m <sup>3</sup>
Workers	Inhalation	Long-term local effects	5.58 mg/m <sup>3</sup>
Workers	Dermal	Long-term systemic effects	0.97 mg/kg bw/day
General population	Oral	Long-term systemic effects	0.74 mg/kg bw/day

## N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene

Application Area	Exposure routes	Health Effect	Value
Workers	Inhalation	Long-term systemic effects	0.31 mg/m <sup>3</sup>
Workers	Dermal	Long-term systemic effects	0.44 mg/kg bw/day
General population	Inhalation	Long-term systemic effects	0.08 mg/m <sup>3</sup>
General population	Dermal	Long-term systemic effects	0.22 mg/kg bw/day
General population	Oral	Long-term systemic effects	0.05 mg/kg bw/day

## Predicted No Effect Concentration (PNEC):

#### Distillate, petroleum, hydrotreated heavy paraffinic

Compartment	Value
Fresh water	No data available: testing technically not feasible
Marine water	No data available: testing technically not feasible
Sewage treatment plant	No data available: testing technically not feasible
Fresh water sediment	No data available: testing technically not feasible
Marine sediment	No data available: testing technically not feasible
Soil	No data available: testing technically not feasible
Predators – secondary poisoning	9.33 mg/kg food

#### N-Phenylbenzenamine, reaction products with 2,4,4-trimethylpentene

Compartment	Value
Fresh water	0.034 mg/L
Marine water	0.003 mg/L
Sewage treatment plant	10 mg/L
Fresh water sediment	0.446 mg/kg sediment dw
Marine sediment	0.045 mg/kg sediment dw
Soil	17.6 mg/kg soil dw
Predators – secondary poisoning	0.833 mg/kg food

#### **8.2 Exposure controls**

#### Appropriate Engineering Measures

Maintain air concentrations below occupational exposure standards using engineering controls if necessary. Local exhaust ventilation is recommended. Eye wash station and showers should be available for emergency use.

## Individual protection measures, such as personal protective equipment:

<u>Eye and face protection</u>: None usually required, however if risk assessment shows PPE to be appropriate, wear safety glasses or full-face shield if splashes are likely to occur. Use equipment for eye protection tested and approved under appropriate government standards such as EN 166(EU).



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 7 of 15

#### Skin protection:

<u>Hand protection:</u> None usually required, however if risk assessment shows PPE to be appropriate, gloves approved to relevant standards made from nitrile may provide suitable chemical protection. The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Suitability and durability of a glove is dependent on usage, e.g. frequency and duration of contact, chemical resistance of glove material, glove thickness, dexterity. Always seek advice from glove suppliers. Contaminated gloves should be replaced. Personal hygiene is a key element of effective hand care. Gloves must only be worn on clean hands. After using gloves, hands should be washed and dried thoroughly.

<u>Other skin protection:</u> Use as necessary to prevent exposure. Work clothing should be changed daily. Contaminated clothing should be removed and washed thoroughly before re-using.

<u>Respiratory protection</u>: No respiratory protection is ordinarily required under normal conditions of use. In accordance with good industrial hygiene practices, precautions should be taken to avoid breathing of material. If engineering controls do not maintain airborne concentrations to a level which is adequate to protect worker health, select respiratory protection equipment suitable for the specific conditions of use and meeting relevant legislation. Check with respiratory protective equipment suppliers. Where air-filtering respirators are suitable, select an appropriate combination of mask and filter. Use respirators and components tested and approved under appropriate government standards such as CEN (EU).

Where there is potential for airborne exposure above the exposure limits CEN certified air purifying respirator equipped with R or P95 filters may be used. A respiratory protection program that meets local requirements should be followed whenever workplace conditions warrant a respirator's use. Air purifying respirators provide limited protection and cannot be used in atmospheres that exceed the maximum use concentration (as directed by regulation or the manufacturer's instructions), in oxygen deficient (less than 19.5 percent oxygen) situations, or under conditions that are immediately dangerous to life and health (IDLH).

## Thermal hazards: None known.

**Environmental exposure controls:** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

#### 9.1 Information on basic physical and chemical properties

Physical State:	Liquid Light amher, clear
Odour and odour threshold	Slight Hydrocarbon
Melting point/Freezing point: Boiling point or initial boiling	Not available
point and boiling range:	Not available
Flammability:	Not applicable
Lower and upper explosion limit:	
Lower (%):	Not available
Upper (%):	Not available
Flash point:	> 205°C
Auto-ignition temperature:	Not available
Decomposition temperature:	Not available
pH:	Not applicable
Kinematic viscosity:	28.8-74.8 cSt @ 40°C
Solubility:	Negligible
Partition coefficient	0.0
n-octanol/water (log value):	Not available



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 8 of 15

Vapour pressure:
Density and/or relative density:
Relative vapour density:
Decomposition temperature:
Particle characteristics:

Not available 0.860 – 0.870 @ 15.6°C Not available Not available Not applicable

## 9.2 Other information:

Information with Regard to Physical Hazard Classes: None known.

Other Safety Characteristics: Bulk density:

7.17-7.23 lbs/gal

## SECTION 10: STABILITY AND REACTIVITY

#### 10.1 Reactivity

No hazardous reactions anticipated under normal storage and handling conditions.

#### 10.2 Chemical stability

Stable under normal storage and handling conditions.

#### 10.3 Possibility of hazardous reactions

No hazardous reactions are anticipated under normal storage and handling conditions.

#### 10.4 Conditions to avoid

Extended exposure to high temperatures can cause decomposition. Avoid all possible sources of ignition

#### 10.5 Incompatible materials

Materials to avoid include strong oxidizing agents and strong reducing agents.

## 10.6 Hazardous Decomposition products:

Not anticipated under normal conditions of use.

## SECTION 11: TOXICOLOGICAL INFORMATION

## 11.1 Information on toxicological effects

Acute toxicity:

Does not meet the criteria for classification.

Product/ingredient name	Test	Species	Dose
Distillate, petroleum,	LD <sub>50</sub> Oral	Rat	> 5000 mg/kg
hydrotreated heavy	LD <sub>50</sub> Dermal	Rabbit	> 5000 mg/kg
paraffinic	LC <sub>50</sub> Inhalation	Rat	2.18 mg/L air 4h
N-Phenylbenzenamine,	LD <sub>50</sub> Oral	Rat	> 5000 mg/kg
reaction products with	LD <sub>50</sub> Dermal	Rat	> 2000 mg/kg
2,4,4-trimethylpentene	LC <sub>50</sub> Inhalation	Rat	None known

Skin corrosion/irritation:	Does not meet the criteria for classification.
Serious eye damage/eye irritation:	Does not meet the criteria for classification.
Respiratory or skin sensitization:	Does not meet the criteria for classification.
Germ cell mutagenicity:	Does not meet the criteria for classification.



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Carcinogenicity:	Does not meet the criteria for classification.
Reproductive toxicity:	Does not meet the criteria for classification.
STOT – Single exposure:	Does not meet the criteria for classification.
STOT – Repeat exposure:	Does not meet the criteria for classification.
Aspiration hazard:	Does not meet the criteria for classification.
11.2 Information on other hazards:	
Endocrine disrupting properties:	None of the components have endocrine disrupting properties
Information on other hazards:	An aspiration hazard may be appropriate if the oil is vapourized under pressure.

## **SECTION 12: ECOLOGICAL INFORMATION**

#### 12.1 Toxicity:

Substance name	Toxicity to fish / other aquatic invertebrates
Distillate, petroleum,	Fish LL50 – Pimephales promelas – > 100 mg/L – 96 h
hydrotreated heavy	Fish NOEC – Pimephales promelas – ≥ 100 mg/L – 96 h
paraffinic	Invertebrates EL50 – Daphnia magna – > 10,000 mg/L – 48 h
	Invertebrates NOEC – Daphnia magna – ≥ 10,000 mg/L – 48 h
	Algae NOEL – Pseudokirchneriella subcapitata – ≥ 100 mg/L – 72 h
N-Phenylbenzenamine,	Fish LC50 – Danio rerio – > 100 mg/L – 96 h
reaction products with	Fish NOEC – Danio rerio – > 10 mg/L – 96 h
2,4,4-trimethylpentene	Invertebrates EC50 – Daphnia magna – 51 mg/L – 48 h
	Invertebrates EC10 – Daphnia magna – 1.69 mg/L – 21 d
	Algae EC50 – Desmodesmus subspicatus – > 100 mg/L – 72 h

## 12.2 Persistence and Degradability:

Expected to be biodegradable.

## 12.3 Bioaccumulative potential:

No data available

#### 12.4 Mobility in soil:

Volatilization to air is not expected to be a significant fate process due to the low vapour pressure of this material.

## 12.5 Results of PBT and vPvB assessment:

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

None known.

#### 12.7 Other adverse effects:

In water, this material will float and spread over the surface at a rate dependent upon viscosity. The main fate process is expected to be slow biodegradation of individual components in soil and sediment. Not expected to have ozone depletion potential, photochemical ozone creation potential or global warming potential.



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 10 of 15

## SECTION 13: DISPOSAL CONSIDERATIONS

## 13.1 Waste treatment methods:

#### Product

Dispose of in accordance with all applicable local, state, national and international regulations. Recover or recycle if possible. It is the responsibility of the waste generator to determine the toxicity and physical properties of the material generated to determine the proper waste classification and disposal methods. Do not dispose into the environment, in drains or in water courses.

#### **Contaminated packaging**

Since emptied containers retain product residue, follow label warnings even after container is emptied. Dispose of as unused product.

SECTION 14: TRANSP	ORT INFORMATION		
International transport 14.1 UN number: ADR/RID: n/a	regulations <u>IMDG:</u> n/a	<u>IATA:</u> n/a	

#### 14.2 Proper shipping name:

ADR/RID:	Not classified as dangerous for trans	port
IMDG:	Not classified as dangerous for trans	port
IATA:	Not classified as dangerous for trans	port
14.3 Transport hazard	class(es)	
<u>ADR/RID:</u> n/a	<u>IMDG</u> : n/a	<u>IATA:</u> n/a
14.4 Packing group		
<u>ADR/RID:</u> n/a	<u>IMDG</u> : n/a	<u>IATA:</u> n/a
14.5 Environmental haz	zard	
Marine Pollutant: No		

## 14.6 Special precautions for user

None known.

## 14.7 Transport to bulk according to Annex II of MARPOL and the IBC Code

Not applicable

## Section 15: REGULATORY INFORMATION

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This safety datasheet complies with the requirements of: EU Commission Regulation (EU) 2020/878 (REACH) EU Regulation (EC) No 1272/2008 (CLP)

<u>EINECS</u>: All components in this product are listed on the European Inventory of Existing Chemical Substance

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out on this product.

## Section 16: OTHER INFORMATION



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 11 of 15

## Full List of Poison Centres for Section 1.4

COUNTRY	CONTACT DETAILS
	Vergiftungsinformationszentrale (VIZ)
	Notruf 0–24 Uhr: 01 406 43 43
	Bürozeiten: Montag bis Freitag, 8 bis 16 Uhr, Tel.: 01 406 68 98 (keine medizinische
Austria	Auskunft)
	Euro-Notruf: 112
	Rettung: 144
	Ärztefunkdienst: 141
	Alle dringende vragen over vergiftigingen: 070 245 245 (gratis, 24/7) *.
	Indien onbereikbaar tel. 02 264 96 30 (normaal tarief).
	Vanuit het Groothertogdom Luxemburg kan het Centrum bereikt worden via het nummer
	8002 5500 (gratis 24/7).
Belaium	
5	Poison Control Center
	c/o Military Hospital Queen Astrid. Bruynstraat 1, 1120 Brussels
	Tel (+32) 02 264 96 36
	Fax (+32) 02 264 96 46
	ТЕЛЕФОНЕН НОМЕР ЗА СПЕШНИ СЛУЧАИ
	Клиника по токсикология
	Многопрофилна болница за активно лечение и спешна мелицина "Н.И. Пирогов"
Bulgaria	Тепефон за спешни спучаи: +359 2 9154 233
	Телефонът е активен 24/7 и обаждането към него е безплатно
	(Тази информация спелва да се посочи в т 14 към ИПБ)
	Ksaverska cesta 2 10000 Zagreb
Croatia	T 01 2348 342
oroutid	Telephone no +3851 2348 342
Cyprus	(ώρες λειτομονίας 24 ώρες/24ωρο, 7 ημέρες την εβδομάδα)
	Tovikologické informační středisko
	Na Bojišti 1
Czech	120 00 Praha 2
Republic	Telefon: $\pm 420.224.010.203.\pm 420.224.015.402$
	Web: www.tis-cz.cz
	Rispehiera hospital hispehiera hakke 23e, opgang 20 c 2400 kbh ny
Denmark	Telefon: (+45) 8212 1212 e-mail: giftlinien@regionh.dk
	Poison information telephone number (Mürgistusteabekeskuse number) is nationally
	16662 calling from abroad (+372) 70/3 70/
Estonia	Hotline 16662 of the Doisoning Information Centre is active 24/7
	National poison information contro service in Estopia is accessible at www.16662.co
	Open 21 hours a day
Finland	0800 147 111 (the cell is free of charge)
Fillialiu	00001471077 (normal price)
	0.9471.977 (normal pilce)
Franco	Inumero ORFILA (INRS) . + 55 (0)1 45 42 59 59
France	ces centres anti-poison et de toxicovignance rournissent une alde medicale gratuite (nors
	DENLIN Ciffnotruf dar Charitá Universitätemedizin Berlin CBE, Heure VIII (Mistechefferschäuste), HO
	Ginnorun der Ghame Universitätsmedizin Benin GBF, Haus VIII (WIRSChaftsgebaude), UG
	Tal 020 102 40 (Natruf)
	161. 030 - 192 40 (NOUUI)
Germany	rax 0.00 - 4.00 009 90 1
	man@gntnotrut.de
	nups.//ginnouur.chante.de
	Informationszentrale gegen Vergittungen Klinik und Poliklinik für Allgemeine Pädiatrie



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 12 of 15

	Zentrum für Kinderheilkunde, Universitätsklinikum Bonn Gebäude 30, ELKI (Eltern-Kind- Zentrum) Venusberg-Campus 1 53127 Bonn Tel. 0228 - 192 40 (Notruf) Tel. 0228 - 287 334 80 (Sekretariat) Fax 0228 - 287 332 78 info@giftzentrale-bonn.de www.giftzentrale-bonn.de
	ERFURT Giftnotruf Erfurt Gemeinsames Giftinformationszentrum der Länder Mecklenburg- Vorpommern, Sachsen, Sachsen-Anhalt und Thüringen c/o HELIOS Klinikum Erfurt Nordhäuser Straße 74 99089 Erfurt Tel. 0361 - 730 730 Fax 0361 - 730 731 7 ggiz@ggiz-erfurt.de www.ggiz-erfurt.de
	FREIBURG Vergiftungs-Informations-Zentrale Universitätsklinikum Freiburg Zentrum für Kinder- und Jugendmedizin Breisacher Str. 86b 79110 Freiburg Tel. 0761 - 192 40 (Notruf) Fax 0761 - 270 445 70 giftinfo@uniklinik-freiburg.de www.giftberatung.de
	GÖTTINGEN Giftinformationszentrum-Nord der Länder Bremen, Hamburg, Niedersachsen und Schleswig-Holstein (GlZNord) Universitätsmedizin Göttingen - Georg-August-Universität Robert-Koch-Straße 40, 37075 Göttingen Tel. 0551 - 192 40 (Notruf) Fax 0551 - 383 188 1 giznord@giz-nord.de www.giz-nord.de
	MAINZ Giftinformationszentrum der Länder Rheinland-Pfalz und Hessen (ab dem 1.4.2021 auch zuständig für das Saarland) - Klinische Toxikologie - Universitätsmedizin der Johannes Gutenberg-Universität Mainz Langenbeckstraße 1 Gebäude 601 55131 Mainz Tel. 06131 - 192 40 (Notruf) Tel. 06131 - 232 466 (Infoline) Fax 06131 - 232 468 mail@giftinfo.uni-mainz.de www.giftinfo.uni-mainz.de
	MÜNCHEN Giftnotruf München Toxikologische Abteilung der II. Med. Klinik und Poliklinik, rechts der Isar der Technischen Universität München Ismaninger Straße 22, 81675 München Tel. 089 - 192 40 (Notruf) Fax 089 - 414 024 67 tox@Irz.tu-muenchen.de https://toxikologie.mri.tum.de/de/giftnotruf-muenchen
Greece	Poison Information Centre Children's Hospital P&A Kyriakou Athens 11762 Greece Director Dr P. Neou,



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 13 of 15

	Emergency number: (0030) 2107793777 Fax: 00302107486114				
	Email: poison_ic@aglaiakyriakou.gr available for consultation 24 hours/day, to medical				
	Cím: 1097 Budapest, Albert Flórián út 2-6				
Hungary	Sürgősségi információszolgáltatás mérgezés	vagy annak	avanúia eseté	n.	
	+36 80 201 199 (0-24 órában, díjmentesen hí	vható – csa	k Magyarorszá	aról)	
	+36 1 476 6464 (0-24 órában, normál díj eller	nében hívha	ató – külföldről i	s)	
lectored	Tel: <u>543 2222</u> or <u>112</u> or <u>543 1000</u>			/	
Iceland	OPIÐ Allan sólarhringinn alla daga				
	National Poisons Information Centre: 353 (1)	809 2166 (8	3.00 a.m.to 10.0	00 p.m	. 7 days a
Ireland	week).	<i></i>			
	Healthcare Professionals: +353 (1)809 2566 (	(24-hour se	rvice)	1	1
	"Department of Emergency and DEA	Domo	Plazza	00165	06
	Department of Emergency and DEA	Rome	Sant Onoino,	00165	68593726
			4		
	Az Osp Univ Eggia	Foggia	V.le Luigi	71122	800183450
		i oggia	Pinto, 1	11122	000100400
	Az Osp "A Cardarelli"	Naples	Via A.	80131	081-
		lapico	Cardarelli, 9	00101	5453333
			V le del		
	CAV Polyclinic "Umberto I"	Rome	Policlinico.	161	06-
			155	101	49978000
			Largo		
	CAV Polyclinic "A. Gemelli"	Rome	Agostino	168	06-
			Gemelli, 8		3054343
Italy		Florence			
	Az. Osp. "Careggi" Medical Toxicology Unit		Largo	50134	055- 7947819
			Diampilia, S		
	CAV/ National Contar for Toxical agian		Via Salvatoro		0202
		Pavia	Maugeri 10	27100	0302-
					24444
	Osp. Niguarda Ca 'Granda		Piazza		02-
		Milan	Maggiore Hospital, 3	20162	66101029
					00101020
		Bergamo	OMS Square	24127	800883300
	Papa Giovanni XXII Hospital		1		
			Piazzale		
	Verona Integrated Hospital	Verona	Aristide	37126	800011858
	Valsts ugunsdzesības un glābšanas dienests, phone number: 112.				
Latvia	roksikologijas un sepses kimikas sainuesanas un zaju iniormacijas centrs, πipokrata z, Rīga Latvija TV-1038				
	phone number +371 67042473. Service is available 24 hours				
	+370 (5) 2362052				
Lithuania	(free of charge, available 24 hours a day, seven days a week).				
	Toutes les guestions urgentes concernant une intoxication: 070 245 245 (gratuit. 24/7)				
Luxembourg	Si pas accessible 02 264 96 30 (tarif normal).				
Luxembourg	Les citoyens et médecins du Grand-Duché de Luxembourg peuvent appeler le 8002-5500				
	(gratuit 24/7).				
Malta	IVIINISTY TOF HEAITN				
1	10, 1 alazzo Gasicilarila,				



Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 14 of 15

	Merchants Street,
	Valletta, VLT 1171
	Telephone 2122 4071
	UMC Utrecht
	Heidelberglaan 100
Nethenands	3584 CX Utrecht
	NVIC: +31 (0)88 755 8000:
	Kontakt Giftinformasjonen hvis uhellet er ute
Norway	22 59 13 00
-	Døgnåpen telefon.
	Bureau for Chemical Substances
	30/34 Dowborczykow Street, 90-019 Lodz, Poland
Poland	+48 42 2538 400
	E-mail biuro(at)chemikalia.gov.pl
	https://www.chemikalia.gov.pl/
	Centro de Informação Antivenenos – CIAV
	Em caso de intoxicação, ligue 800 250 250
	Morada
Dortugol	Instituto Nacional de Emergência Médica
Fortugal	Rua Almirante Barroso, 36
	1000-013 Lisboa
	Telefone (Secretariado): 213 303 271   Fax: 213 303 275
	E-mail: ciav.tox@inem.pt
	Phone number: +40 21 599 2300
Romania	(information provided in Romanian and English)
	Emergency phone number: 021 112 (available 24/7)
	NATIONAL TOXICOLOGICAL INFORMATION CENTRE
	University Hospital Bratislava
Slovakia	Limbová 5, 833 05 Bratislava
	Slovakia
	+421 2 5477 4166
Slovenia	Phone number: 112
	National Emergency Telephone Number of Spanish Poison Centre: + 34 91 562 04 20
Spain	The information will be provided in Spanish (available 24/7):
	health personnel & general public (poisoning cases).
	Giftinformationscentralen
	Swedish Poisons Information Centre
	S-171 76 Stockholm
Sweden	SWEDEN
	När det är akut
	112 – Begär Giftinformation

## Full text of H & P-Statements referred to under sections 2 and 3.

Carc Carcinogenic

Repr Reproductive toxicity

Training advice: Before using/handling the product one must read carefully present SDS.

### Abbreviations and acronyms:

ADR:	Accord européen sur le transport des marchandises dangereuses par Route (European
CAS:	Chemical Abstracts Service (division of the American Chemical Society)
CLP:	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
DNEL:	Derived No Effect Level
EC50:	Half maximal effective concentration
EINECS:	European Inventory of Existing Commercial Chemical Substances
EU:	European Union



## Biodegradable Hydraulic Fluid

8<sup>th</sup> March 2024

Page 15 of 15

GHS: IATA:	Globally Harmonized System of Classification and Labeling of Chemicals International Air Transport Association
IBC:	International Bulk Code
IMDG:	International Maritime Code for Dangerous Goods
LC50:	Lethal concentration, 50 percent
LD50:	Lethal dose, 50 percent
MARPOL:	International Convention for the Prevention of Pollution from Ships
OEL:	Occupational Exposure Level
PBT:	Persistent, Bioaccumulative and Toxic
PNEC:	Predicted No Effect Level
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
SCBA:	Self Contained Breathing Apparatus
SCL:	Specific Concentration Limits
UN:	United Nations
VPvB:	Very Persistent and very Bioaccumulative
WEL:	Workplace Exposure Limit

## **Document history**

Date of issue: 8<sup>th</sup> March 2024

DISCLAIMER: To the best of our knowledge, the information contained herein is accurate. However, Hydraulic Technologies USA LLC does not assume any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.